

77R SERIES

Condensers

Passive & Powered

Did You Know...

The presence of dust, bugs and debris on the face of the condenser fin and tubes will create a thermo-barrier. In turn, the condenser's ability to dissipate heat is reduced resulting in poor system performance

Service Tip

To maintain condenser performance, include the condenser on preventative maintenance schedule and clean debris off the fin area. Special care should be taken not to bend or damage condenser fins in the process.

CONDENSER DESCRIPTIONS


CONDENSER COIL TYPE

SERPENTINE TYPE - Continuous extruded aluminum tube, $\frac{3}{4}$ to 2 inches thick. The fin is either skyve type or vacuum brazed ribbon type spaced approximately 14 fins per inch. High heat rejection, compact size exact O.E.M. replacements.


TUBE AND FIN TYPE - Constructed with .008 thick aluminum corrugated fin $\frac{3}{4}$ to 2 $\frac{1}{2}$ inches in thickness. Fin spacing at 10 to 12 fins per inch providing maximum heat rejection. Tubes are either copper or aluminum.

GRILLDENSER TYPE - Constructed with .030 to .050 aluminum, fins are $\frac{3}{4}$ of an inch thick. Fins are spaced at 2 to 4 fins per inch providing minimal air flow restriction. Tubes are either .035" wall aluminum or .022" wall copper.

MULTI FLOW - Constructed with .0051 thick zinc coated cross flow tubes. Fin spacing is 14 fins per inch. Four pass design.



TYPICAL HEADER TYPES



CONDENSER SPECIFICATIONS

Listed in ascending order by Overall Width x Height x Depth

DIMENSIONS				FITTINGS		HEADER			Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
[A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	#6 (5/8")	#8 (3/4")	FPI	Type	Mat						
14	11 11/32	13 1/4	3/4	F	D	---	---		MF		Fits RD-4-5932-OP Power Condenser	77R1325	RD-4-6091-OP	N
14	11 5/16	14		F	D	---	---		MF		R-20505-OP	77R1275	RD-4-5722-OP	Y
18	16 1/4	14	3/4	F	D	20	3	A	MF	A	General Purpose	77R1285	RD-4-5361-OP	Y
19 17/64	15 13/32	18 3/32	1 1/2	D,F	—	12	1	C	TF	R	General Purpose	77R0670	RD-4-4414-OP	Y
21 3/4	18 13/16	14	3/4	J	G	14			MF	R	General Purpose	77R1290	RD-4-5378-OP	Y
22 1/2	18 1/2	7 3/32	2 1/2	H,H	—	12	3	C	TF		R-9725	77R0090	RD-4-4440-OP	Y
22 5/8	19 5/8	10 1/8	2 3/4	G	G	12	3	C	TF		R-9727	77R0350	RD-4-3586-OP	Y
23 1/3	20 7/8	12	3 1/3	G	G	12	2	C	TF		R-6100 & R-6160	77R0620	RD-4-4738-OP	Y
23 3/4	20 7/8	11 7/16	1 7/8	F	F	12	2	C	TF		R6000, R6060	77R0500	RD-4-3874-1P	Y
24	21 1/8	26 1/2	1 1/2	G	J	6	2	C	TF	R	General Purpose	77R7050	RD-4-5760-OP	Y
24	21 5/8	12 1/2	2 7/8	E	E	12	3	C	TF		John Deere JD744E	77R7005	RD-4-4724-1P	Y
24 1/16	21 5/8	12 1/2	2 7/8	E	E	12	3	C	TF		R-9737	77R0660	RD-4-4724-OP	Y
24 1/2	20	14 7/64	1 7/16	D	F	12	1	C	TF		General Purpose	77R0900	RD-4-4161-OP	Y
25	23	12 1/4	1 3/4	J	G	12	3	C	TF	R	General Purpose	77R0650	RD-4-3724-OP	Y
25 1/4	20 1/2	18 1/4	1 13/16	E	E	12	1	C	TF		R-1550, SK 100, 120, 150	77R7010	RD-4-5154-OP	Y
25 1/2	23	21 1/2	2 1/2	G	G	12	—	—	TF		R-6260	77R0630	RD-4-5122-OP	N
25 3/4	22 13/16	12	3/4	J	G	14	—	—	MF	R	General Purpose	77R1280	RD-4-5377-OP	Y
25 3/4	22 13/16	14	3/4	J	G	14	—	—	MF	R	General Purpose	77R1300	RD-4-5418-OP	Y
25 3/4	24	10 3/4	1	F	E	—	—	—	MF		Ford F Series	77R1320	RD-5-9560-OP	N
26 1/4	23	9 1/8	3	E,E	—	12	2	C	TF		R-9720	77R0110	RD-4-4069-1P	Y
	23 1/8	17 1/4	1 1/4	E	G				TF	A	Ford F600-900 Diesel	77R0850	RD-4-5680-OP	N
	23 3/16	19 7/16	7/8	G	G			A	S	A	Ford F 700 / 900	77R1417	RD-4-5692-OP	Y
	23 3/16	19 7/16	7/8	G	G			A	S	A	Ford F 600 / 900	77R1419	RD-4-5693-OP	Y
	23 1/4	17 1/4	1 1/8	—	—				TF	A	Ford F600-900 Gas	77R0860	RD-4-5682-OP	Y
26 7/16	23 1/4	9 1/8	—	H	H	12	1	C	TF		Red Dot R-9720	77R0100	RD-4-4069-OP	Y
26 1/2	23 13/16	10 3/4	1 11/16	F	D	14			MF	R	R-2800, General Purpose	77R1295	RD-4-5503-OP	Y
26 3/3	24 3/4	9 1/8	2 1/4	J	H	12	1	C	TF		Midliner R-2110	77R0260	RD-4-4130-OP	Y
	25	17	1	G	H				TF	A	Ford Aerostar	77R1401	RD-4-5684-OP	Y
	25	17 1/2	1					A	S	A	Ford F 150 / 350	77R1407	RD-4-5687-OP	Y
	25	18 3/4	1	H	H				TF	A	Ford Aerostar	77R1403	RD-4-5685-OP	Y
27	25 1/4	14 7/8	3/4	F	G	—			S	R	Freightliner, West. Star	77R1100	RD-4-3917-OP	Y
27	25 1/2	18 1/4	3/4	G	J	12	3	C	TF		R-1550, SK200, 220	77R7020	RD-4-5116-OP	Y
28 1/16	21 1/2	26 1/2	1 1/4	G	G	9	1	A	TF	R	General Purpose	77R7100	RD-4-4968-OP	Y
28 3/8	26 1/2	26	3/4	E	E	3	1	—	GD	H	Mack RL/RS	77R6900	RD-4-3434-1P	Y
28 13/32	26 19/32	26 5/32	25/32	H	H	3	1	C	GD	R	R-10035-1,2,-3,-4	77R7000	RD-4-4713-OP	Y
	26 3/4	32 1/2	1	G	J				GD	A	Ford C, E Series	77R5240	RD-4-5681-OP	N
	27	21	1	D	G				TF		Ford L Series	77R6805	RD-4-5695-OP	N
28 3/4	27 3/4	9 1/2	3	J	G			A	S	R	Mack 210RD413	77R7712	RD-4-5766-OP	N
29 39/64	26 3/4	19 1/4	3/4	J	D	14	3	—	MF	A	General Purpose with brackets	77R1330	RD-4-5709-OP	N
29 5/8	26 5/8	15 1/2	3/4	J	G	14	—	—	MF	R	General Purpose	77R1310	RD-4-5379-OP	Y
29 3/4	27 1/8	15 3/4	3/4	J	G	—		A	S	R	White-Western Star	77R0950	RD-4-3916-OP	Y
30	28	28 5/16	1	F	F			A	S	R	Mack 210RD54M	77R7704	RD-4-5769-OP	
30 1/4	25 1/2	18 3/16	1 3/4	H	H	10	1	C	TF		International	77R0700	RD-4-3945-OP	Y

KEY: Mount Location: R = Radiator Mount H = Hood Mount A = See APPLICATIONS Section for details

Depth = Includes motors

Header FPI = Fins Per Inch

Header Type = See illustration under CONDENSER DESCRIPTIONS

Header Mat = Material A = Aluminum C = Copper

Coil Type: TF = Tube & Fin S = Serpentine MF = Multi Flow GD = GrillDenser

Ship = UPS Shipping, Yes/No



CONDENSER SPECIFICATIONS

Listed in ascending order by Overall Width x Height x Depth

DIMENSIONS				FITTINGS		HEADER			Coil Type	Mount Location	Application	Red Dot Part No.	Factory No.	UPS Ship
[A] Overall Width	[B] Fin Width	[C] Height	[T] Thickness	#6 (5/8")	#8 (3/4")	FPI	Type	Mat						
30 1/2	27 3/8	12 1/2	3 1/4	F	D	10	3	C	TF		R-9730	77R0800	RD-4-3646-OP	Y
30 7/8	28 1/4	32	3/4	E	E	4	2	C	GD	R	General Purpose	77R7800	RD-4-3722-OP	N
31	28	33 5/32	1 1/4	J	G	14	1	C	GD		Peterbilt 357,377,378, 379,385 Conventional	77R6950	RD-4-5658-OP	N
	28 1/4	23	1	G	G			A	S	A	Ford E Series	77R1405	RD-4-5686-OP	Y
	29 1/2	19 3/4	3/4	F, #8 FSL	J, #8 FSL				GD	A	Ford L Series	77R5245	RD-4-5683-OP	
32 1/8	31 7/8	27 1/4	7/8	E	E	4	1	C	GD	R	Kenworth T600A 86-93	77R6930	RD-4-3999-OP	N
32 1/4	30	17 5/8	1 3/8	C	C	12	1	C	GD		General Purpose	77R6955	RD-4-4613-1P	Y
32 1/2	28 1/2	20 7/8	3/4	D	F	10	1	A	GD	R	Kenworth T-400, T600A	77R6957	RD-5-12488-OP	Y
32 1/2	30 3/4	16 3/8	1	D	F	—	4	A	TF		Volvo VN 8084348, 20461065	77R0585	RD-4-6343-OP	Y
32 3/4	31 1/2	8 1/2	1 1/2	F	G	—	—	—	S	R	Peterbilt Conventional,	77R0580	RD-4-5462-OP	Y
32 13/16	31 19/32	8 1/2	2	F	G	—	—	—	S	R	Mack "R" Peterbilt Conventional	77R0570	RD-4-5146-1P	Y
32 7/8	27 5/16	9 1/4	1 3/4	H	D	—	—	C	TF		Mack R	77R0150	RD-4-4181-OP	Y
33	29	18 1/2	1	G	J				TF		Mack, Volvo 401043, 61203-0031	77R1150	RD-4-5811-OP	Y
33	31 7/8	8 1/2	1 1/4	F	D	—	—	A	S	R	Mack MH, U, DM	77R0560	RD-4-4232-OP	Y
33 1/2	31	16 1/2	1 1/2	D	D	4	3	C	TF		General Purpose	77R5263	RD-4-4972-OP	Y
33 2/3	31 13/16	8 1/2	1	F	D			A	S	R	Mack 210RD46AM - R.H.	77R7702	RD-4-5770-OP	N
33 2/3	31 13/16	8 1/2	1	F	D			A	S	R	Mack 210RD410M	77R7706	RD-4-5763-OP	N
34 1/2	31 1/2	21 3/16	1	F	F			A	S	R	Mack 210RD428	77R7717	RD-4-6415-OP	N
34 1/2	31 1/2	23 9/32	1	F	F			A	S	R	Mack 210RD418	77R7714	RD-4-5767-OP	N
34 11/16	31	16 1/2	1 7/16	D	D	4	1	C	TF		General Purpose	77R5265	RD-4-5903-OP	Y
34 3/4	25 1/4	19 7/16	7/8	F	F			A	S	A	Ford F 700 / 900	77R1421	RD-4-5694-OP	Y
34 3/4	31	16 1/2	3/4	H	H	4	1	—	GD	R	General Purpose	77R5250	RD-4-3682-OP	Y
34 3/4	31	16 1/2	3/4	D	D	4	1	C	GD	R	General Purpose	77R5260	RD-4-4377-OP	Y
35 1/8	31	38 5/8	3/4	F	G	4	1	C	GD	H	Kenworth T602 (Dual Pass Chrome) 92-94	77R6935	RD-4-4550-OP	N
35 1/8	31	38 5/8	3/4	F	G	4	1	C	GD	H	Kenworth T602 (Dual Pass Black) 92-94	77R6940	RD-4-4550-1P	N
35 1/2	32 15/16	27 3/8	1/2	—	—	2	1	C	GD	R	Aluminum, Kenworth T400, T602, T603	77R6970	RD-4-5190-OP	Y
35 1/2	32 15/16	27 3/8	1/2	—	—	2	1	C	GD	R	Black, Kenworth T400, T602, T603	77R6975	RD-4-5190-1P	Y
35 5/8	34	20 3/4	2 3/4	G	J	12	2	C	TF		R-4500	77R0990	RD-4-5045-OP	Y
35 7/8	30	16 1/2	1 3/4	E	E	10	2	—	TF		Peterbilt 320LCF	77R0665	RD-4-4931-OP	N
	32 3/4	16 1/2	1	F	F			A	S	A	Ford F 150 / 350	77R1409	RD-4-5688-OP	N
36 3/16	33 3/4	11 1/8	1 1/8	D	D		1	A	S		Mack 210R421M	77R1105	RD-4-5762-OP	N
36 13/16	34	26 3/4	1	F	F			A	S	R	Mack 210RD412	77R7710	RD-4-5765-OP	N
37	34 1/4	25 3/4	3/4	G	G	4	1	C	GD	R	IHC 'S' 2000 & up	77R5910	RD-4-3714-OP	Y
37 1/8	34 1/4	25 3/4	3/4	F	F	4	2	C	GD	R	Mack R. Shutterless	77R6200	RD-4-3443-OP	Y
37 3/4	33	9	1 3/4	F	G				TF		Volvo 61203-3211	77R1175	RD-4-5812-OP	Y
37 3/4	35 1/4	36 9/16	7/8	J	D	4	1	C	GD	H	Kenworth W900L 89-94	77R6965	RD-4-4276-OP	N
	37	19	3/4	D	F				GD	R	Ford L Series	77R6807	RD-4-5696-OP	Y

KEY: Mount Location: R = Radiator Mount H = Hood Mount A = See APPLICATIONS Section for details

Depth = Includes motors

Header FPI = Fins Per Inch

Header Type = See illustration under CONDENSER DESCRIPTIONS

Header Mat = Material A = Aluminum C = Copper

Coil Type: TF = Tube & Fin S = Serpentine MF = Multi Flow GD = GrillDenser

Ship = UPS Shipping, Yes/No

77R SERIES

CONDENSERS

Listed in ascending order by Overall Width x Height x Depth

DIMENSIONS				FITTINGS		HEADER										
[A]	[B]	[C]	[T]													
Overall	Fin			#6	#8				Coil	Mount		Red Dot		UPS		
Width	Width	Height	Thickness	(5/8")	(3/4")	FPI	Type	Mat	Type	Location	Application	Part No.	Factory No.	Ship		
39 7/32	37 13/32	6 7/16	1 1/4	F	D			A	S	R	Mack 210RD411M	77R7708	RD-4-5764-0P	N		
39 7/8	37	32	3/4	J	G	3	1	—	GD	R	Peterbilt 359	77R7900	RD-4-3683-2P	N		
41 3/8	37	22	1/2	—	—	2	1	A	GD	H	Kenworth T300 Aluminum	77R8301	RD-4-5226-4P	N		
41 3/8	37	22	1/2	—	—	2	1	A	GD	H	Kenworth T300 Black	77R8303	RD-4-5226-5P	N		
41 3/4	37	29	7/8	J	D	4	1	C	GD	H	Kenworth T800 90-94	77R6945	RD-4-4300-0P	N		
41 3/4	37	29	27/32			2	1	C	GD	H	Kenworth T800 (Non Functional) 88-94	77R6990	RD-4-4219-0P	N		
40 5/32	31 7/8	34 19/32	1 9/64	J	J	6	1	C	GD		R-2825, Hinged Assy	77R6255	RD-4-5655-0P			
42 1/4	40 1/4	36	3/4	F	D	2	1	C	GD	R	Kenworth 1400 Series 79-89	77R6920	RD-4-3727-2P	N		
42 1/2	31 1/2	22 1/8	3/4	D	D	10	4	A	TF	R	Freightliner Century IE6068, BHT 73002, BHT 9710	77R6977	RD-4-6432-0P	Y		
43 3/8	40 1/2	33	3/4	H	H	2	1	C	GD	R	General Purpose	77R8100	RD-4-3723-0P	N		
43 13/32	36	17 3/4	1 1/4	F	D				TF		Volvo 61203-0029	77R5270	RD-4-5809-0P	N		
43 1/2	41	36 1/4	13/16	J	D	4	1	C	GD	H	Kenworth W900B	77R6960	RD-4-4403-1P	N		
43 1/2	41	36 13/16	7/8	J	D		1	A	GD		Kenworth T 800H Dual Pass	77R6947	RD-4-4360-0P	N		
43 1/2	41	38 5/8	3/4	F	D	2	1	C	GD	R	Kenworth 900 B 81-90	77R6925	RD-4-3745-1P	N		
48 1/4	34 1/4	25 3/4	3/4	E	E	4	1	C	GD	H	Ford L Series	77R6800	RD-4-3372-3P			
49	37	33 5/8	1 1/2	J	J	7	1	C	GD		R-2825, Hinged 37" Header to Header	77R6250	RD-4-5743-0P	N		
51	48	33 1/8	3/4	E	E	2	1	—	GD	H	Mack RW	77R8200	RD-4-3595-4P	N		
See On-Road OEM Applications									A	S	A	Ford F 600 / 800	77R1411	RD-4-5689-0P	N	

77R0090

RD-4-4440-0P

Tube & Fin Type

Used with R-9725

Overall Width: 22 1/2"
Fin Width: 18 1/2"
Height: 7 3/32"
Thickness: 2 1/2"




77R0100

RD-4-4069-0P

Tube & Fin Type

Used with R-9720

Overall Width: 26 1/16"
Fin Width: 23 1/4"
Height: 9 1/8"



77R0110

RD-4-4069-1P

Tube & Fin Type

Used with R-9720

Overall Width: 26 1/4"
Fin Width: 23"
Height: 9 1/8"
Thickness: 3"



77R0150

RD-4-4181-0P

Tube & Fin Type

Used with Mack "R" Series

Overall Width: 32 7/8"
Fin Width: 27 5/16"
Height: 9 1/4"
Thickness: 1 3/4"



77R SERIES

CONDENSERS

77R0260

RD-4-4130-0P

Tube & Fin Type

Used with Midliner R-2110

Overall Width: 26 $\frac{2}{3}$ "

Fin Width: 24 $\frac{3}{4}$ "

Height: 9 $\frac{1}{8}$ "

Thickness: 2 $\frac{1}{4}$ "



77R0560

RD-4-4232-0P

Serpentine Type

Used with Mack "MH", "U", "DM"


OE#210RD46AM

Overall Width: 33"

Fin Width: 31 $\frac{7}{8}$ "

Height: 8 $\frac{1}{2}$ "

Thickness: 1 $\frac{1}{4}$ "



77R0350

RD-4-3586-0P

Tube & Fin Type

Used with R-9727

Overall Width: 22 $\frac{5}{8}$ "

Fin Width: 19 $\frac{5}{8}$ "

Height: 10 $\frac{1}{8}$ "

Thickness: 2 $\frac{3}{4}$ "



77R0570

RD-4-5146-1P

Serpentine Type

Used with Mack "R" Series

Peterbilt Conventional

Mack OE#210R45A

Overall Width: 32 $\frac{13}{16}$ "

Fin Width: 31 $\frac{19}{32}$ "

Height: 8 $\frac{1}{2}$ "

Thickness: 2"



77R0500

RD-4-3874-1P

Tube & Fin Type

Used with R-6000, R-6060

Fits Freightliner WFC/WFT Series

Radiator Mount

Overall Width: 23 $\frac{3}{4}$ "

Fin Width: 20 $\frac{7}{8}$ "

Height: 11 $\frac{7}{16}$ "

Thickness: 1 $\frac{7}{8}$ "



77R0580

RD-4-5462-0P

Serpentine Type

Peterbilt Conventional, OE#23-12753

Overall Width: 32 $\frac{3}{4}$ "

Fin Width: 31 $\frac{1}{2}$ "

Height: 8 $\frac{1}{2}$ "

Thickness: 1 $\frac{1}{2}$ "




77R0585

RD-4-6343-0P

Tube & Fin Type

Volvo VN Series OE# 8084348, 20461065

Overall Width: 32 1/2"
Fin Width: 30 3/4"
Height: 16 3/8"
Thickness: 1"




77R0650

RD-4-3724-0P

Tube & Fin Type

Freightliner WFC, WFT Series
Peterbilt 289-387 Models

Overall Width: 25"
Fin Width: 23"
Height: 12 1/4"
Thickness: 1 3/4"



77R0620

RD-4-4738-0P

Tube & Fin Type

Used with R-6100, R-6160

Overall Width: 23 1/3"
Fin Width: 20 7/8"
Height: 12"
Thickness: 3 1/3"



77R0660

RD-4-4724-0P

Tube & Fin Type

Used with R-9737

Overall Width: 24 1/16"
Fin Width: 21 5/8"
Height: 12 1/2"
Thickness: 2 7/8"




77R0630

RD-4-5122-0P

Tube & Fin Type

Used with R-6260

Overall Width: 25 1/2"
Fin Width: 23"
Height: 21 1/2"
Thickness: 2 1/2"




77R0665

RD-4-4931-0P

Tube & Fin Type

Used with Peterbilt 320 LCF

Overall Width: 35 7/8"
Fin Width: 30"
Height: 16 1/2"
Thickness: 1 3/4"



CONDENSERS

77R0670

RD-4-4414-0P


Tube & Fin Type

Overall Width: 19 $\frac{17}{64}$ "

Fin Width: 15 $\frac{13}{32}$ "

Height: 18 $\frac{3}{32}$ "

Thickness: 1 $\frac{1}{2}$ "



77R0850

RD-4-5680-0P

Tube & Fin Type


Overall Width: —

Fin Width: 23 $\frac{1}{8}$ "

Height: 17 $\frac{1}{4}$ "

Thickness: 1 $\frac{1}{4}$ "

Used with Ford F600-900 Diesel



77R0700

RD-4-3945-0P

Tube & Fin Type

Overall Width: 30 $\frac{1}{4}$ "

Fin Width: 25 $\frac{1}{2}$ "

Height: 18 $\frac{3}{16}$ "

Thickness: 1 $\frac{3}{4}$ "

Used with IHC Applications



77R0860

RD-4-5682-0P


Tube & Fin Type

Fin Width: 23 $\frac{1}{4}$ "

Height: 17 $\frac{1}{4}$ "

Thickness: 1 $\frac{1}{8}$ "

Used with Ford F600-900 Diesel



77R0800

RD-4-3646-0P

Tube & Fin Type


Overall Width: 30 $\frac{1}{2}$ "

Fin Width: 27 $\frac{3}{8}$ "

Height: 12 $\frac{1}{2}$ "

Thickness: 3 $\frac{1}{4}$ "

Used with R-9730



77R0900

RD-4-4161-0P

Tube & Fin Type

Overall Width: 24 $\frac{1}{2}$ "

Fin Width: 20"

Height: 14 $\frac{7}{64}$ "

Thickness: 1 $\frac{1}{16}$ "



7R0950

RD-4-3916-0P

Serpentine Type

Used with White-Western Star

Overall Width: 29 $\frac{3}{4}$ "Fin Width: 27 $\frac{1}{8}$ "Height: 15 $\frac{3}{4}$ "

Thickn

**77R1105**

RD-4-5762-0P

Serpentine Type

Used with Mack 210R421M

Overall Width: 36 $\frac{3}{16}$ "Fin Width: 33 $\frac{3}{4}$ "Height: 11 $\frac{1}{8}$ "Thickness: 1 $\frac{1}{8}$ "**77R0990**


RD-4-5045-0P

Tube & Fin Type

Used with R-4500

Overall Width: 35 $\frac{5}{8}$ "

Fin Width: 34"

Height: 20 $\frac{3}{4}$ "Thickness: 2 $\frac{3}{4}$ "**77R1150**

RD-4-5811-0P

Tube & Fin Type

Used with Mack, Volvo 401043, 61203-0031

Overall Width: 33"

Fin Width: 29"

Height: 18 $\frac{1}{2}$ "

Thickness: 1"

**77R1100**

RD-4-3917-0P

Serpentine TypeUsed with Freightliner
White-Western Star Applications

Overall Width: 27"

Fin Width: 25 $\frac{1}{4}$ "Height: 14 $\frac{7}{8}$ "Thickness: $\frac{3}{4}$ "**77R1175**

RD-4-5812-0P

Tube & Fin Type

Used with Volvo 61203-3211

Overall Width: 37 $\frac{3}{4}$ "

Fin Width: 33"

Height: 9"

Thickness: 1 $\frac{3}{4}$ "

CONDENSERS

77R1275

RD-4-5722-0P

MultiFlow Type

Overall Width: 14"

Fin Width: 11 $\frac{5}{16}$ "

Height: 14"

Used with R-20505-0P



77R1290

RD-4-5378-0P

MultiFlow Type

Overall Width: 21 $\frac{3}{4}$ "

Fin Width: 18 $\frac{13}{16}$ "

Height: 14"

Thickness: $\frac{3}{4}$ "



77R1280

RD-4-5377-0P


MultiFlow Type

Overall Width: 25 $\frac{3}{4}$ "

Fin Width: 22 $\frac{13}{16}$ "

Height: 12"

Thickness: $\frac{3}{4}$ "



77R1295

RD-4-5503-0P

MultiFlow Type

Overall Width: 26 $\frac{1}{2}$ "

Fin Width: 23 $\frac{13}{16}$ "

Height: 10 $\frac{3}{4}$ "

Thickness: 1 $\frac{11}{16}$ "



77R1285

RD-4-5361-0P

MultiFlow Type

Overall Width: 18"

Fin Width: 16 $\frac{1}{4}$ "

Height: 14"

Thickness: $\frac{3}{4}$ "



77R1300

RD-4-5418-0P

MultiFlow Type

Overall Width: 25 $\frac{3}{4}$ "

Fin Width: 22 $\frac{13}{16}$ "

Height: 14"

Thickness: $\frac{3}{4}$ "



77R1310

RD-4-5379-0P

MultiFlow Type

Overall Width: 29 $\frac{5}{8}$ "
 Fin Width: 26 $\frac{5}{8}$ "
 Height: 15 $\frac{1}{2}$ "
 Thickness: $\frac{3}{4}$ "



77R1330

RD-4-5709-0P

MultiFlow Type

Complete with Brackets

Overall Width: 29 $\frac{39}{64}$ "
 Fin Width: 26 $\frac{3}{4}$ "
 Height: 19 $\frac{1}{4}$ "
 Thickness: $\frac{3}{4}$ "



77R1320

RD-5-9560-0P

MultiFlow Type

Used with Ford "F" Series

Overall Width: 25 $\frac{3}{4}$ "
 Fin Width: 24"
 Height: 10 $\frac{3}{4}$ "
 Thickness: 1"




77R1401

RD-4-5684-0P

Tube & Fin Type

Ford Applications

Overall Width: —
 Fin Width: 25"
 Height: 17"
 Thickness: 1"



77R1325

RD-4-6091-0P

MultiFlow Type

Used with RD-4-5932-0P Power Condenser

Overall Width: 14"
 Fin Width: 11 $\frac{11}{32}$ "
 Height: 13 $\frac{1}{4}$ "
 Thickness: $\frac{3}{4}$ "



77R1403

RD-4-5685-0P

Tube & Fin Type

Ford Applications

Overall Width: —
 Fin Width: 25"
 Height: 18 $\frac{3}{4}$ "
 Thickness: 1"



CONDENSERS

77R1405

RD-4-5686-0P

Serpentine Type

Used with Ford "E" Series

Overall Width: —
Fin Width: 28 1/4"
Height: 23"
Thickness: 1"




77R1407

RD-4-5687-0P

Serpentine Type

Used with Ford "F" Series

Overall Width: —
Fin Width: 25"
Height: 17 1/2"
Thickness: 1"




77R1409

RD-4-5688-0P

Serpentine Type

Used with Ford Applications

Overall Width: —
Fin Width: 32 3/4"
Height: 16 1/2"
Thickness: 1"




77R1411

RD-4-5689-0P

Serpentine Type

Ford F600 / 800

Overall Width: —
Fin Width: —
Height: —
Thickness: —



77R1417

RD-4-5692-0P

Serpentine Type

Used with Ford F700, F900

Fin Width: 23 3/16"
Height: 19 7/16"
Thickness: 7/8"




77R1419

RD-4-5693-0P

Serpentine Type

Used with Ford F600, F900

Fin Width: 23 3/16"
Height: 19 7/16"
Thickness: 7/8"



77R1421

RD-4-5694-0P

Serpentine Type

Used with Ford F700, F900


Overall Width: 34 $\frac{3}{4}$ "
 Fin Width: 25 $\frac{1}{4}$ "
 Height: 19 $\frac{7}{16}$ "
 Thickness: $\frac{7}{16}$ "

**77R5250**

RD-4-3682-0P

Grilldenser Type

Overall Width: 34 $\frac{3}{4}$ "
 Fin Width: 31"
 Height: 16 $\frac{1}{2}$ "
 Thickness: $\frac{3}{4}$ "

**77R5240**

RD-4-5681-0P

Grilldenser TypeUsed with Ford OE#E7HZ-19712-A,D
and C-CT Series

Fin Width: 26 $\frac{3}{4}$ "
 Height: 32 $\frac{1}{2}$ "
 Thickness: 1"

**77R5260**

RD-4-4377-0P

Grilldenser Type

Overall Width: 34 $\frac{3}{4}$ "
 Fin Width: 31"
 Height: 16 $\frac{1}{2}$ "
 Thickness: $\frac{3}{4}$ "

**77R5245**

RD-4-5683-0P

Grilldenser Type

Used with Ford OE#F2HZ-19712-A,F "L" Series


Fin Width: 29 $\frac{1}{2}$ "
 Height: 19 $\frac{3}{4}$ "
 Thickness: $\frac{3}{4}$ "

**77R5263**

RD-4-4972-0P

Tube & Fin Type

Overall Width: 33 $\frac{1}{2}$ " – Two Row
 Fin Width: 31"
 Height: 16 $\frac{1}{2}$ "
 Thickness: 1 $\frac{1}{2}$ "



CONDENSERS

77R5265

RD-4-5903-0P

Tube & Fin Type

Overall Width: 34 $\frac{11}{16}$ "
 Fin Width: 31"
 Height: 16 $\frac{1}{2}$ "
 Thickness: 1 $\frac{7}{16}$ "



77R6200

RD-4-3443-0P

Grilldenser Type

Used with Mack "R" Series

Overall Width: 37 $\frac{1}{8}$ "
 Fin Width: 34 $\frac{1}{4}$ "
 Height: 25 $\frac{3}{4}$ "
 Thickness: $\frac{3}{4}$ "




77R5270

RD-4-5809-0P

Tube & Fin Type

Used with Volvo 61203-0029

Overall Width: 43 $\frac{13}{32}$ "
 Fin Width: 36"
 Height: 17 $\frac{3}{4}$ "
 Thickness: 1 $\frac{1}{4}$ "



77R6250

RD-4-5743-0P

Grilldenser Type

Used with R-2825,
 Hinged 37" header to header

Overall Width: 49"
 Fin Width: 37"
 Height: 33 $\frac{5}{8}$ "
 Thickness: 1 $\frac{1}{2}$ "




77R5910

RD-4-3714-0P

Grilldenser Type

Used with IHC "S" Series

Overall Width: 37"
 Fin Width: 34 $\frac{1}{4}$ "
 Height: 25 $\frac{3}{4}$ "
 Thickness: $\frac{3}{4}$ "



77R6255

RD-4-5655-0P

Grilldenser Type

Used with R-2825 Hinged Assembly

Overall Width: 40 $\frac{5}{32}$ "
 Fin Width: 31 $\frac{7}{8}$ "
 Height: 34 $\frac{19}{32}$ "
 Thickness: 1 $\frac{1}{64}$ "




77R6800

RD-4-3372-3P

Grilldenser Type

Used with Ford "L" Series

Overall Width: 48 1/4"
 Fin Width: 34 1/4"
 Height: 25 3/4"
 Thickness: 3/4"

**77R6900**

RD-4-3434-1P

Grilldenser Type

Used with Mack RL/RS Series
 OE#210RD48

Overall Width: 28 3/8"
 Fin Width: 26 1/2"
 Height: 26"
 Thickness: 3/4"

**77R6805**

RD-4-5695-0P

Tube & Fin Type

Used with Ford "L" Series
 OE#F4HZ-19712-A

Overall Width: —"
 Fin Width: 27"
 Height: 21"
 Thickness: 1"


**77R6920**

RD-4-3727-2P

Grilldenser Type

Used with Kenworth 1400 Series
 OE#K122-64

Overall Width: 42 1/4"
 Fin Width: 40 1/4"
 Height: 36"
 Thickness: 3/4"


**77R6807**

RD-4-5696-0P

Grilldenser Type

Used with Ford "L" Series
 Ford OE#F6HZ-19712A, Motorcraft YJ 363

Fin Width: 37"
 Height: 19"
 Thickness: 3/4"


**77R6925**

RD-4-3745-1P

Grilldenser Type

Used with Kenworth 900B
 OE#K122-62

Overall Width: 43 1/2"
 Fin Width: 41"
 Height: 38 5/8"
 Thickness: 3/4"



CONDENSERS

77R6930

RD-4-3990-0P

Grilldenser Type

Used with Kenworth T600A
OE#K122-81

Overall Width: 32 1/8"
Fin Width: 31 7/8"
Height: 27 1/4"
Thickness: 7/8"



77R6935

RD-4-4550-0P

Grilldenser Type

Used with Kenworth T602
OE#K122-124-1
Dual Pass - Aluminum Finish

Overall Width: 35 1/8"
Fin Width: 31"
Height: 38 5/8"
Thickness: 3/4"



77R6940

RD-4-4550-1P

Grilldenser Type

Used with Kenworth T602
OE#K122-124-2
Dual Pass - Black

Overall Width: 35 1/8"
Fin Width: 31"
Height: 38 5/8"
Thickness: 3/4"




77R6945

RD-4-4300-0P

Grilldenser Type

Used with Kenworth T800
OE#K122-102

Overall Width: 41 3/4"
Fin Width: 37"
Height: 29"
Thickness: 7/8"




77R6947

RD-4-4360-0P

Grilldenser Type

Overall Width: 43 1/2"
Fin Width: 41"
Height: 36 13/16"
Thickness: 7/8"

Used with Kenworth T800 Dual Pass
OE#K122-118



77R6950

RD-4-5658-0P

Grilldenser Type

Overall Width: 31"
Fin Width: 28"
Height: 33 5/32"
Thickness: 1 1/4"

Used with Peterbilt 357, 377,
378, 379, 385 Conventional




77R6955

RD-4-4613-1P

Grilldenser Type

Overall Width: 32 1/4"
Fin Width: 30"
Height: 17 5/8"
Thickness: 1 3/8"

Kenworth OE#K122-128



77R6957

RD-5-12488-0P

Grilldenser Type

Overall Width: 32 1/2"
Fin Width: 28 1/2"
Height: 20 7/8"
Thickness: 3/4"

Kenworth T400-T600A, 1995-2006
OE#K122-125, Black



77R6960

RD-4-4403-1P

Grilldenser Type

Overall Width: 43 1/2"
Fin Width: 41"
Height: 36 1/4"
Thickness: 1 3/16"

Kenworth W900B
OE#K122-121



77R6965

RD-4-4276-0P

Grilldenser Type

Overall Width: 37 3/4"
Fin Width: 35 1/4"
Height: 36 7/16"
Thickness: 7/8"

Used with Kenworth W900L
OE#K122-98



CONDENSERS

77R6970
RD-4-5190-0P
Grilldenser Type


Used with Kenworth T400, T602, T603
Aluminum Finish - Non Functional
Kenworth OE# K137-299-1

Overall Width: 35 1/2"
Fin Width: 32 15/16"
Height: 27 3/8"
Thickness: 1/2"


77R6975
RD-4-5190-1P
Grilldenser Type


Used with Kenworth T400, T602, T603
Black Finish - Non Functional
Kenworth OE# K137-299-2

Overall Width: 35 1/2"
Fin Width: 32 15/16"
Height: 27 3/8"
Thickness: 1/2"


77R6977
RD-4-6432-0P
Tube & Fin Type


Freightliner Century
BHT 9710, BHT 73002, 1E6068

Overall Width: 42 1/2"
Fin Width: 31 1/2"
Height: 22 1/8"
Thickness: 3/4"


77R6990
RD-4-4219-0P
Grilldenser Type


Used with Kenworth T800 - Non-Functional
OE#K137-230

Overall Width: 41 3/4"
Fin Width: 37"
Height: 29"
Thickness: 27/32"


77R7000
RD-4-4713-0P
Grilldenser Type


Used with John Deere 690-992E-LC
IHC 2004801C3, C4, R-10035-1,-2,-3,-4

Overall Width: 28 13/32"
Fin Width: 26 19/32"
Height: 26 5/32"
Thickness: 25/32"


77R7005
RD-4-4724-1P
Tube & Fin Type

Fits John Deere JD 744E

Overall Width: 24"
Fin Width: 21 5/8"
Height: 12 1/2"
Thickness: 2 7/8"



77R7010

RD-4-5154-0P

Tube & Fin Type

Fits R-1550, SK 100, 120, 150

Overall Width: 25 1/4"

Fin Width: 20 1/2"

Height: 18 1/4"

Thickness: 1 13/16"

**77R7020**

RD-4-5116-0P

Tube & Fin Type

Fits R-1550, SK200, SK220

Overall Width: 27"

Fin Width: 25 1/2"

Height: 18 1/4"

Thickness: 3/4"

**77R7050**

RD-4-5760-0P

Tube & Fin Type

Overall Width: 24" – Two Row

Fin Width: 21 1/8"

Height: 26 1/2"

Thickness: 1 1/2"

**77R7100**

RD-4-4968-0P

Tube & Fin Type

Overall Width: 28 1/16" – Two Row

Fin Width: 21 1/2"

Height: 26 1/2"

Thickness: 1 1/4"

**77R7702**

RD-4-5770-0P

Serpentine Type

Used with Mack OE#210RD46AM-R.H.

Overall Width: 33 2/3"

Fin Width: 31 13/16"

Height: 8 1/2"

Thickness: 1"

**77R7704**

RD-4-5769-0P

Serpentine Type

Used with Mack OE#210RD54M

Overall Width: 30"

Fin Width: 28"

Height: 28 5/16"

Thickness: 1"



CONDENSERS

77R7706
RD-4-5763-0P
Serpentine Type


Used with Mack OE#210RD410M

 Overall Width: 33 $\frac{2}{3}$ "

 Fin Width: 31 $\frac{13}{16}$ "

 Height: 8 $\frac{1}{2}$ "

Thickness: 1"


77R7712
RD-4-5766-0P
Serpentine Type

Used with Mack 210RD413

 Overall Width: 28 $\frac{3}{4}$ "

 Fin Width: 27 $\frac{3}{4}$ "

 Height: 9 $\frac{1}{2}$ "

Thickness: 3"


77R7708
RD-4-5764-0P
Serpentine Type

Used with Mack 210RD411M

 Overall Width: 39 $\frac{7}{32}$ "

 Fin Width: 37 $\frac{13}{32}$ "

 Height: 6 $\frac{7}{16}$ "

 Thickness: 1 $\frac{1}{2}$ "

77R7714
RD-4-5767-0P
Serpentine Type

Used with Mack 210RD418

 Overall Width: 34 $\frac{1}{2}$ "

 Fin Width: 31 $\frac{1}{2}$ "

 Height: 23 $\frac{9}{32}$ "

Thickness: 1"


77R7710
RD-4-5765-0P
Serpentine Type

Used with Mack 210RD412

 Overall Width: 36 $\frac{13}{16}$ "

Fin Width: 34"

 Height: 26 $\frac{3}{4}$ "

Thickness: 1"


77R7717
RD-4-6415-0P
Serpentine Type

Used with Mack 210RD428

 Overall Width: 34 $\frac{1}{2}$ "

 Fin Width: 31 $\frac{1}{2}$ "

 Height: 21 $\frac{9}{16}$ "

Thickness: 1"



77R7800

RD-4-3722-0P

Grilldenser TypeOverall Width: 30 $\frac{7}{8}$ "Fin Width: 28 $\frac{1}{4}$ "

Height: 32"


Thickness: $\frac{3}{4}$ "**77R8200**

RD-4-3595-4P

Grilldenser Type

Overall Width: 51"

Fin Width: 48"

Height: 33 $\frac{1}{8}$ "Thickness: $\frac{3}{4}$ "

Used with Mack RW

OE#210RD49302P2, PB1095

77R7900

RD-4-3683-2P

Grilldenser TypeOverall Width: 39 $\frac{7}{8}$ "

Fin Width: 37"

Height: 32"

Thickness: $\frac{3}{4}$ "

Used with Peterbilt 359

77R8301

RD-4-5226-4P

Grilldenser TypeOverall Width: 47 $\frac{3}{8}$ "

Fin Width: 37"


Height: 22"

Thickness: $\frac{1}{2}$ "

Kenworth T-300 (non-functional)

Kenworth OE# K137-300-1

Aluminum Finish

**77R8100**

RD-4-3723-0P

Grilldenser TypeOverall Width: 43 $\frac{3}{8}$ "Fin Width: 40 $\frac{1}{2}$ "

Height: 33"

Thickness: $\frac{3}{4}$ "

Used with Kenworth T-800 OE#K122-84

77R8303

RD-4-5226-5P

Grilldenser TypeOverall Width: 47 $\frac{3}{8}$ "

Fin Width: 37"


Height: 22"

Thickness: $\frac{1}{2}$ "

Kenworth T-300 (non-functional)

Kenworth OE# K137-300-2

Black Finish



CONDENSERS

POWER CONDENSERS

Listed in ascending order by **Height x Length x Thickness**

Height	Length	Thickness	Fitting #6 (5/8")	Location #8 (3/4")	Amps	Fan CFM	BTUs	Application	Red Dot Part No.	Factory No.
12 VOLT FAN										
9 1/8	26 21/32	4 3/4	J	H			5,800	Fits R-2110, 1 Fan	77R0250	RD-4-4144-2P
10 1/8	22 5/8	2 3/4	G	G		800	22,000	Fits R-2150, 2 Fans	77R0530	RD-4-4400-OP
12 1/8	16 1/4	6	G	J	7.5	1100	19,500	1 Fan, 7.5 amps @ 12.6VDC	77R1622	RD-4-5311-OP
12 7/8	33 1/2	4	F	D	15.7	1210	25,000	Fits R-9475, 2 Fans	77R1502	RD-4-5990-OP
14 1/4	22	3 3/4	G	J	28	818	17,300	2 Fans, 28 amps @ 12.6 VDC	77R1602	RD-5-9616-OP
15	16 1/4	6	F	D			—	Fits R-20500, 1 Fan with Drier	77R1632	RD-4-5700-1P
16	31 1/2	8 1/2	G	J	18	1219	25,000	1 Fan, 18 amps @ 13.6 VDC	77R1612	RD-5-9617-OP
24 VOLT FAN										
12 1/8	16 1/4	6	G	J	3.6	1100	19,500	1 Fan, 3.6 amps @ 27.2 VDC	77R1624	RD-4-5312-OP
12 7/8	33 1/2	4	F	D	7.8	1210	25,000	Fits R-9475-0-24, 2 Fans	77R1504	RD-4-5990-1P
14 1/4	22	3 3/4	G	J	14	910	25,000	2 Fans, 14 amps @ 27.2 VDC	77R1604	RD-4-5498-OP
15	16 1/4	6	F	D			—	Fits R-20500-0-24, Fan with Drier	77R1634	RD-4-5700-1-24P
16	31 1/2	8 1/2	G	J	9	1219	25,000	9 amps @ 27.2 VDC	77R1614	RD-5-9618-OP

77R0250

RD-4-4144-2P

9 1/8" high x 26 21/32" long x 4 3/4" thick

Used with R-2110

With 12 VDC Fan, 5,800 BTU

Replacement fan & motor assembly sold separately (RD-5-9001-2P)



77R1502

RD-4-5990-OP

12 7/8" high x 33 1/2" long x 4" thick

Used with R-9475

With 12 VDC Fans, 15.7 Amps @ 13.6 VDC, 1,210 CFM, 25,000 BTU

Replacement fan & motor assembly sold separately (RD-5-9018-OP)



77R0530

RD-4-4400-OP

10 1/8" high x 22 5/8" long x 2 3/4" thick

Used with R-2150

With 12 VDC Fans, 800 CFM, 22,000 BTU

Replacement fan & motor assembly sold separately (RD-5-9001-2P)



77R1504

RD-4-5990-1P

12 7/8" high x 33 1/2" long x 4" thick

Used with R-9475-0-24

With 24 VDC Fans, 1210 CFM, 7.8 Amps @ 27.2 VDC, 25,000 BTU

Replacement fan & motor assembly sold separately (RD-5-9018-1P)



POWER CONDENSERS

77R1602

RD-5-9616-0P

14 1/4" high x 22" long x 3 3/4" thick
 With 12 VDC Fans at 11.5 amps, 818 CFM, 17,300 BTU
 Replacement fan & motor assembly sold separately (RD-5-9001-0P)

**77R1604**

RD-4-5498-0P

14 1/4" high x 22" long x 3 3/4" thick
 With 24 VDC Fans, 910 CFM, 14 Amps @ 27.2 VDC
 Replacement fan & motor assembly sold separately (RD-5-9001-1P)

**77R1612**

RD-5-9617-0P

16" high x 31 1/2" long x 8 1/2" thick
 With 12 VDC Fans, 1219 CFM, 18 Amps @ 13.6 VDC, 25,000 BTU
 Replacement fan & motor assembly sold separately (RD-5-9884-0P)

**77R1614**

RD-5-9618-0P

16" high x 31 1/2" long x 8 1/2" thick
 With 24 VDC Fans, 1219 CFM, 9 Amps @ 27.2 VDC, 25,000 BTU
 Replacement fan & motor assembly sold separately (RD-5-9885-0P)

**77R1622**

RD-4-5311-0P

12 1/8" high x 16 1/4" long x 6" thick
 With 12 VDC Fan, 12.6 VDC at 7.5 amps, 1,100 CFM, 19,500 BTU
 Replacement fan & motor assembly sold separately (RD-5-8703-2P)

**77R1624**

RD-4-5312-0P

12 1/8" high x 16 1/4" long x 6" thick
 With 24 VDC Fan, 27.2 VDC at 3.6 amps, 1,100 CFM, 19,500 BTU
 Replacement fan & motor assembly sold separately (RD-5-8703-1P)



CONDENSERS

POWER CONDENSERS

77R1632

RD-4-5700-1P

15" high x 16 1/4" long x 6" thick – 12v fan with drier
Used with R-20500-0 Heater AC TB175 Kit
Replacement fan & motor assembly sold separately (RD-5-8747-4P)



77R1634

RD-4-5700-1-24P

15" high x 16 1/4" long x 6" thick – 24v fan with drier
Used with R-20500-0-24 Heater AC Kit
Replacement fan & motor assembly sold separately
(73R8654 / RD-5-8747-5P)



CONDENSER MOUNTING BRACKETS

Developed to aid the installer, these universal condenser mounting brackets attach directly to the condenser. Will span a radiator with outside dimension of 44 inches.

77R9000

RD-5-5403-0P

16-gauge steel


77R9005

RD-5-5403-2P

For use with 77R0650

Heavy Duty

11-gauge steel



77R9010

RD-5-5403-1P

16-gauge steel


77R9015

RD-5-5403-3P

For use with 77R0950 &
77R1100

Heavy Duty

11-gauge steel



77R9020

RD-11-0054-0P

For use with Remote Mount Condenser
16-gauge steel

